



METAL RESOURCE SOLUTIONS, INC.

"Bright Ideas in a Competitive World!"™

Stainless Steel Cold Heading Wire Stock List



July

WAREHOUSE LOCATIONS

Chicago, IL
Chicopee, MA

SALES OFFICES

West Chester, OH (Corporate)

Rich Tereba
Carl Osborne
Doug Tereba
Bob Beebe

Ph: 513.874.7630
Fx: 513.874.7632
Toll Free: 800.474.2218

South East

Dan Etchie
Ph: 815.685.1879
Fx: 513.874.7632

Chicago

Vickie Myers
David Kerr
Carl Osborne
Matt Beebe
Ph: 815.363.7601
Fx: 815.363.7611

4MAX Coat 302HQ	stock	inbound
.098"	817 lbs	
.105"	9161 lbs	
.113"	5353 lbs	
.118"	1840 lbs	
.118" DFARS	2133 lbs	
.123"	6797 lbs	
.125"	1339 lbs	
.131"	6629 lbs	
.132"	1834 lbs	
.133"	1249 lbs	
.139"	1766 lbs	2000 lbs
.1395"	4343 lbs	
.140"	500 lbs	
.1425"		3000 lbs
.144"	3292 lbs	
.145"	9714 lbs	
.152"		6000 lbs
.158"	4970 lbs	2000 lbs
.165"	5366 lbs	
.170"	5777 lbs	
.173"	3076 lbs	2000 lbs
.175"	1510 lbs	1000 lbs
.180"	3072 lbs	
.186"		3000 lbs
.198"		8000 lbs
.202"		2000 lbs
.205"		3000 lbs
.212"	9044 lbs	
.215"	2939 lbs	2000 lbs
.218"	1046 lbs	3000 lbs
.222"	3650 lbs	
.225"	4885 lbs	
.228"		6000 lbs
.235"	7067 lbs	
.242"	467 lbs	12,000 lbs
.246"	4438 lbs	
.255"	1171 lbs	
.270"	7894 lbs	
.280"	987 lbs	
.285"		5000 lbs
.306"	1503 lbs	5000 lbs
.312"	533 lbs	
.328"		10,000 lbs
.335"	392 lbs	3000 lbs
.365"		2000 lbs
.385"	923 lbs	4000 lbs

**Copper coat meets its match.
4MAX takes the punches and blows.**

4MAX is an alternative to copper coating as a lubricant on stainless steel cold heading wire.

4MAX coating is a complex metal-oxide compound applied to stainless steel wire to specifically aid in lubrication, improve tool life, and reduce machine downtime due to clogging and cleaning.

Customers report that 4MAX stainless steel performed as well as copper coated stainless, but unlike copper, environmentally friendly 4MAX is easier and less expensive to remove.

4MAX Coat 410	stock	inbound
.135"	1800 lbs	
.138"	539 lbs	
.139"	5461 lbs	
.152"	2754 lbs	1000 lbs
.155"	1997 lbs	
.158"	558 lbs	5000 lbs
.165"	7310 lbs	
.176"	2006 lbs	
.200"	2108 lbs	
.212"	3352 lbs	
.225"		4000 lbs

4MAX Coat 430	stock	inbound
.1515"	1699 lbs	2000 lbs
.165"	1054 lbs	2000 lbs
.242"	271 lbs	4000 lbs

4MAX is available in:
302HQ, 304L, 305, 316L, 410, & 430

DFARS 4MAX available.

METAL RESOURCE SOLUTIONS, INC.

"Bright Ideas in a Competitive World!"™



Stainless Steel Cold Heading Wire Stock List

July

Stocking HRAP Rod and wire.
Coatings: soap, copper, E-Coat, and 4MAX

**WAREHOUSE
LOCATIONS**

Chicago, IL
Chicopee, MA

SALES OFFICES

**West Chester, OH
(Corporate)**

Rich Tereba
Carl Osborne
Doug Tereba
Bob Beebe

Ph: 513.874.7630
Fx: 513.874.7632
Toll Free: 800.474.2218

South East

Dan Etchie

Ph: 843.685.1879
Fx: 513.874.7632

Chicago

Vickie Myers
David Kerr
Carl Osborne
Matt Beebe

Ph: 815.363.7601
Fx: 815.363.7611

Stainless Steel Wire:

Type 302HQ	Coating	Stock	Inbound
.0505"	soap	111 lbs	
.057"	soap	849 lbs	1000 lbs
.082"	soap	200 lbs	
.092"	soap	1656 lbs	2000 lbs
.093"	soap	990 lbs	
.094"	soap	750 lbs	
.099"	soap	3831 lbs	
.105"	soap	4101 lbs	
.1055"	soap	2119 lbs	
.112"	soap	931 lbs	
.113"	soap	2649 lbs	
.114"	soap	652 lbs	
.118"	soap	1514 lbs	11,000 lbs
.118"	E-Coat	1611 lbs	
.1225"	soap	677 lbs	
.123"	soap		9000 lbs
.125"	soap	3946 lbs	
.1315"	soap	265 lbs	
.132"	soap	5142 lbs	
.132"	E-Coat	815 lbs	
.1395"	soap		8000 lbs
.140"	soap		3000 lbs
.1425"	soap	1921 lbs	5000 lbs
.148"	soap	994 lbs	
.152"	E-Coat	541 lbs	
.152"	soap	3484 lbs	4000 lbs
.158"	soap	2130 lbs	3000 lbs
.165 "	soap	2993 lbs	
.168"	soap		2000 lbs

Stainless Steel Wire:

Type 302HQ	Coating	Stock	Inbound
.170"	soap	2557 lbs	
.173"	soap	4889 lbs	6000 lbs
.180"	soap	6265 lbs	15,000 lbs
.188"	soap	1034 lbs	2000 lbs
.192"	soap	598 lbs	
.198"	soap	4658 lbs	3000 lbs
.205"	Soap	3037 lbs	1000 lbs
.205"	E-Coat		4000 lbs
.212"	soap	4441 lbs	
.230"	E-Coat	526 lbs	
.242"	soap		12,000 lbs
.255"	copper	427 lbs	
.255"	soap	1171 lbs	
.270"	soap	2089 lbs	2000 lbs
.276"	soap	1034 lbs	
.305"	soap	9208 lbs	
.324"	soap	1099 lbs	1000 lbs
.328"	soap	1787 lbs	
.346"	soap	323 lbs	
.360"	soap	1569 lbs	
.365" DFARS	soap	6043 lbs	
.365"	soap	1907 lbs	

METAL RESOURCE SOLUTIONS, INC.

"Bright Ideas in a Competitive World!"™



Stainless Steel Cold Heading Wire Stock List

July

Stocking HRAP Rod and wire.

WAREHOUSE LOCATIONS

Chicago, IL
Chicopee, MA

SALES OFFICES

West Chester, OH (Corporate)

Rich Tereba
Carl Osborne
Doug Tereba
Bob Beebe

Ph: 513.874.7630

Fx: 513.874.7632

Toll Free: 800.474.2218

South East

Dan Etchie

Ph: 843.685.1879

Fx: 513.874.7632

Chicago

Vickie Myers

David Kerr

Carl Osborne

Matt Beebe

Ph: 815.363.7601

Fx: 815.363.7611

Stainless Steel Wire:

Type 430	Coating	Stock	Inbound
.057"	soap	1742 lbs	
.0845"	soap	899 lbs	
.0945"	soap	803 lbs	6000 lbs
.113"	E-Coat	1908 lbs	
.118" DFARS	soap	3018 lbs	
.118"	soap	4422 lbs	21,000 lbs
.140"	soap	553 lbs	8000 lbs
.1515"	soap	1406 lbs	10,000 lbs
.1795"	soap	1056 lbs	
.180" DFARS	soap		2000 lbs
.180"	soap	14,403 lbs	15,000 lbs
.198"	soap	715 lbs	
.213"	soap	2094 lbs	
.242"	soap	2742 lbs	4000 lbs
.242" DFARS	soap	3067 lbs	

Stainless Steel Wire:

Type 410	Coating	Stock	Inbound
.105"	E-Coat	1188 lbs	
.118"	soap	1059 lbs	7000 lbs
.1315"	soap	779 lbs	
.132"	E-Coat	518 lbs	
.1395"	soap	1296 lbs	2000 lbs
.1515"	soap		2000 lbs
.152"	E-Coat	515 lbs	
.1575"	soap	1026 lbs	
.165"	soap	257 lbs	
.180"	soap	4130 lbs	2000 lbs
.212"	soap	4183 lbs	
.218"	soap	636 lbs	
.242"	soap	3055 lbs	
.330"	E-Coat	2098 lbs	

Stainless Steel HRAP Rod:

Type 430	Stock	Inbound
.2165"	23,206 lbs	

Stainless Steel HRAP Rod:

Type 410	Stock	Inbound
.2165"	822 lbs	

Stainless Steel HRAP Rod:

Type 302HQ	Stock	Inbound
.217" DFARS	2631 lbs	9000 lbs
.236" DFARS	3652 lbs	
.270" DFARS	14,076 lbs	
.295" DFARS	5218 lbs	

Stainless Steel HRAP Rod:

Type 310	Stock	Inbound
.250" DFARS		13,500 lbs
.312" DFARS		9000 lbs
.375" DFARS	4768 lbs	9000 lbs

Stainless Steel HRAP Rod:

Type 304L	Stock	Inbound
.217" DFARS	1812 lbs	13,500 lbs
.270" DFARS	15,823 lbs	

Stainless Steel HRAP Rod:

Type 316L	Stock	Inbound
.217" DFARS	391 lbs	9000 lbs
.270" DFARS		9000 lbs

Grades:

201	302HQ	310	330
204Cu	304(L)	316(L)	420
302	305	321	430

Round Diameters: .006"-1.00"